

CAE 208 Thermal-Fluids Engineering I

MMAE 320: Thermodynamics

Fall 2022

August 25, 2022

Basic Concepts of Thermodynamics (I)

Built
Environment
Research

@ IIT



*Advancing energy, environmental, and
sustainability research within the built environment*

www.built-envi.com

Dr. Mohammad Heidarinejad, Ph.D., P.E.
Civil, Architectural and Environmental Engineering
Illinois Institute of Technology

muh182@iit.edu

ANNOUNCEMENT

Announcement

- 5M202310 (Fall 2022 Thermal-Fluids Engineering I (CAE-208-01, MMAE-320-02))
- Home
- Syllabus
- Content
- Assignments
- Discussions
- Tools
- Collaborate Ultra
- Class Recording | Panopto**
- My Grades
- Email
- Galvin Library
- B&N Bookstore

Course Management

Panopto Content

Search in folder "5M202310: Fall 2022 Thermal-Fluids Engineering I (CAE..."

+ Create

5M202310: Fall 2022 Thermal-Fluids Engineering I (CAE-208-01, MMAE-320-02)

Sort by: Name Duration Date Rating

+ Add folder



CAE-208-01 on 8/23/2022 (Tue)

Settings Share Edit Stats Delete

RECAP

Recap

- Dimensions defines any physical quantity
- The magnitude of dimensions is expressed in units
- Relevant primary or fundamental units are:
 - Temperature (T)
 - Length (L)
 - Time (t)
 - Mass (m)
- Others are secondary or derived:
 - Velocity (LT^{-1})
 - Volume (L^3)

Recap

- Two systems of units are
 - SI: International System which is based on scientific and engineering work
 - IP or English which has no apparent systematic numerical base
 - 1 ft = 12 in
 - 1 mile = 5280 ft
 - 4 qt = 1 gal

Recap

- Common units are:

Dimension	SI Unit	IP Unit
Length	m	ft or inch
Mass	kg	lb
Time	s	s
Temperature	K	F or R

See Table 1-1 and 1-2

Recap

- Some important SI and IP units

□ Force = (Mass)(Acceleration)

$$1 N = (1 kg) \left(1 \frac{m}{s^2}\right) = 1 kg \cdot \frac{m}{s^2}$$

$$1 lbf = (32.174 lbm) \left(1 \frac{ft}{s^2}\right) = lbm \cdot \frac{ft}{s^2}$$

$= 1 slug$



Units and Dimensions

- Some important SI and IP units
 - Weight = (Mass)(Gravitational Acceleration)

$$W = (1kg) \left(9.81 \frac{m}{s^2} \right) = 9.81 N$$

UNITS

Units

- Some important SI and IP units

- Work = (Force)(Distance)

$$1 J = (1N)(1m) = 1N.m$$

- What's 1 kJ?

- 1 Btu (British Thermal Unit) = Energy required to increase 1 lbm of water at 68 °F by 1 °F

- 1 Btu = 1.0551 kJ

- 1 Calorie = The amount of energy needed to raise the temperature of 1 g of water at 14.5 °C by 1 °C (1 calorie = 4.1868 J)

Units and Dimensions

- Some important SI and IP units

- Power = Rate of Energy

$$1 W = 1 \frac{J}{s}$$

$$1 hp = 746 W$$

- Be careful electrical power is usually provided in kWh

CLASS ACTIVITY

Class Activity

- Calculate the mass of water (in both kg and lbm) for a tank with a volume of 2 m^3 (assume density of water is 1000 kg/m^3)

CLASS ACTIVITY

Class Activity

- Assuming someone buys a USB power adaptor for an iPhone. If an iPhone requires about 3 hours to get fully charged, calculate the total energy used and also the electricity cost (Note: ComEd's rate is about 10 cents per kWh).

5W USB power adaptor



UNIT CONVERSION

Unit Conversion

- Can we convert $1 \text{ m}^3/\text{min}$ to $1 \text{ m}^3/\text{hr}$?

Unit Conversion

- How about 1 m³/min to ft³/min (or CFM)?

Unit Conversion

- A small diesel power plant could have a capacity of 5 MW. Could we convert this to hp?

SYSTEMS AND CONTROL VOLUMES

Systems and Control Volume

- A system is defined as quantity of matter or a region in space chosen for study
- A few important aspects of a system: Boundary (movable or fixed) and surrounding

Systems and Control Volume

- A system could be
 - Closed system known as “control mass”
 - Open system known as “control volume”

Systems and Control Volume

- Closed system known as “control mass”
 - No Mass
 - Energy Yes (if no energy we call it isolated)

Systems and Control Volume

- Open system known as “control volume”
 - Mass Yes
 - Energy Yes

PROPERTIES OF A SYSTEM

Properties of a System

- Property = Any characteristics of a system
 - Pressure (P)
 - Temperature (T)
 - Volume (V)
 - .
 - .
 - .
 - Thermal conductivity (k)

Properties of a System

- Properties are.
 - Intensive: Independent of mass

 - Extensive: Depends on the size – extent - of a system

Properties of a System

- Is there a criterion for understanding intensive vs extensive properties?

Properties of a System

- Can we convert an extensive property to an intensive property?

DENSITY AND SPECIFIC GRAVITY

Density and Specific Gravity

- Density = Mass per unit volume
- Specific volume = Volume per mass

Density and Specific Gravity

- What is the density of water and air?

Material	SI (kg/m ³)	IP (lb/ft ³)
Water	997	62.4
Air	1.2754	0.763

Density and Specific Gravity

- Density in general of is a function of pressure and temperature

Material	Temperature	Pressure
Gas		
Liquid		
Solid		

Density and Specific Gravity

- Specific gravity or relative density is the ratio of the density of a substance to the density of some standard substance at a specific temperature (usually water 4°C and $\rho = 1000$)

$$SG = \frac{\rho}{\rho_{H2O}}$$

Density and Specific Gravity

- Specific weight

$$\gamma_s = \rho g$$

CLASS ACTIVITY

Class Activity

- A 1 m³ container is filled with 0.12 m³ of granite, 0.15m³ of sand and 0.2 m³ of liquid water at 25 °C, and the rest of the volume, 0.53 m³, is air. Find the overall (average) specific volume and density.
- The following densities could be used for the calculations

$$\square \rho_{granite} = 2750 \frac{kg}{m^3}$$

$$\square \rho_{sand} = 1500 \frac{kg}{m^3}$$

$$\square \rho_{water} = 997 \frac{kg}{m^3}$$

$$\square \rho_{sand} = 1.15 \frac{kg}{m^3}$$

CLASS ACTIVITY

Class Activity

- The density of water liquid is defined as $\rho = 1000 - \frac{T}{2}$ with T in Celsius. If the temperature increases, what happens to the density and specific volume.